



INDEX

IREGA, Made in Spain	p.4	
77	p.6	
77-LT-F	p.7	
99	p.8	
92W	p.9	
ErgoTop 92W	p.10	
ErgoTop 99W	p.11	

SWO 92	p.12	
SWO 99	p.13	
SWO 92XS	p.14	
SWO 99XS	p.15	
1.000V	p.16	
771 – 30”	p.17	

IREGA, Made In Spain




IREGA is a manufacturer specialized in the adjustable wrench. The IREGA wrench is the main reference in the industrial quality wrench market. Due to our specialization we can offer a wide range of adjustable wrenches for all kind of professionals. We manufacture in our own facilities in Spain which are probably the best adjustable wrenches in the international market.

IREGA is, since 1960, the world's biggest company fully dedicated to the exclusive manufacturing of adjustable wrenches. Our specialization allows us to devote 100% of our time and resources to the development of our products. This dedication makes us into the world leaders in the professional quality adjustable wrench market.



Play Video



We are manufacturers

We fully manufacture our wrenches in our factory in Zaldibar, in the north of Spain.



Quality and innovation, key factors



IREGA's longstanding commitment to achieving Product Excellence in an environmentally friendly way has led to our status as a pioneer in the implementation and international homologation of management systems. Our manufacturing unit is ISO 9001 certified by AENOR / IQNet since 1993, being the first Spanish hand tool manufacturer to obtain it.

Besides, we are also ISO 14001 certified, which is a standard related to the Environment protection, since the year 2000. Once again we were the first Spanish hand tool manufacturer (and one of the first in Europe) to obtain this certificate. This certificate proves our unbending commitment to continual Quality improvement in harmony with the most rigorous respect for the Environment.




Internationalization

We export more than 95% of our production to more than 80 countries around the five continents. Leading companies from a wide variety of fields trusted in IREGA long time ago. More than 50 years of exporting experience are proof of this.



77 – The best value for money

Available in 8 Sizes (4"
and phosphate) and left
Manufactured according
International Standards
UNE 16532, ISO 678
BS ISO 6787 and DIN



Every tool is individually inspected to Guarantee Total Customer Satisfaction.

Triple coated chrome finish (2 Ni + 1 Cr) for perfect chrome adherence and maximum rust resistance.

Absolutely parallel jaw surfaces ensure perfect grip of nut.

Double security. Threaded Pin and visible Stake for working under extreme conditions.

Precision-ground jaw slides ensure smoother action and accurate adjustment of jaw & handle.

Chrome alloy steel guarantees the high quality of IREGA products.

Identification code. Full traceability.

IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
57000004005006	8410295001040	77/CE - 4"	114	13	50
57000006005006	8410295001064	77/CE - 6"	160	19,2	110
57000008005006	8410295001088	77/CE - 8"	206	24,05	220
57000010005006	8410295001101	77/CE - 10"	257	29	370
57000012005003	8410295001125	77/CE - 12"	308	34	650
57000015009003	8410295001156	77/CE - 15"	385	43,12	1.230
57000018009003	8410295001187	77/CE - 18"	461	53	2.120
57000024009003	8410295001248	77/CE - 24"	612	62	3.560

77-LT-F The best value for money

to 24"), 2 Finishes (chrome
t- or right-turning Versions.
g to the most stringent
s and exceeding
37, ASME B107.8,
N 3117.

77-LT-F

Left turning wrench.
Black phosphated finishing
Available from 4" to 24"



Every tool is individually inspected to
Guarantee Total Customer Satisfaction.

Absolutely parallel jaw surfaces
ensure perfect grip of nut.

Double security. Threaded Pin and
visible Stake for working under
extreme conditions.

Precision-ground jaw slides ensure
smoother action and accurate adjustment
of jaw & handle.

Chrome alloy steel guarantees
the high quality of IREGA
products.

Identification code.
Full traceability.

IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570030104005006	8410295061044	77-LT-F/CE - 4"	114	13	50
570030106005006	8410295061068	77-LT-F/CE - 6"	160	19,2	110
570030108005006	8410295061082	77-LT-F/CE - 8"	206	24,05	220
570030110005006	8410295061105	77-LT-F/CE - 10"	257	29	370
570030112005003	8410295061129	77-LT-F/CE - 12"	308	34	650
570030115009003	8410295061150	77-LT-F/CE - 15"	385	43,12	1.230
570030118009003	8410295061181	77-LT-F/CE - 18"	461	53	2.120
570030124009003	8410295061242	77-LT-F/CE - 24"	612	62	3.560

99 – A 15° adjustable wrench

Thinner and longer jaws.
Top functionality and torque.

Precision-ground jaw slides ensure smoother action and accurate adjustment of jaw & handle.

Ergonomic handle design makes work easier and more efficient.


CHROME VANADIUM steel. Great resistance, minimum wear, unbeatable durability.

Metric measuring scale on jaws presetting and sizing of nuts, bolts, pipes, etc.

Perfectly parallel jaw surfaces ensure perfect grip of nut.

Non-protruding jaw shank.
Great accessibility in tight spaces.

Identification code.
Full traceability.




IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570230104005103	8410295071043	99-LT-F/CE- 4"	114	13	52
570230106005103	8410295071067	99-LT-F/CE- 6"	160	19,2	130
570230108005103	8410295071081	99-LT-F/CE- 8"	206	24,05	250
570230110005103	8410295071104	99-LT-F/CE-10"	257	29	410
570230112005103	8410295071128	99-LT-F/CE-12"	310	34	690
570230110501103	8410295071159	99-LT-F/CE-15"	386	43,12	1320
570230118001103	8410295071180	99-LT-F/CE-18"	462	53	2040

Thinner and longer jaws. Top functionality and torque.

Triple coated chrome finish (2 Ni + 1 Cr) for perfect chrome adherence and maximum rust resistance.

New and Improved Design:

- Dimensions 6" to 12"
- Up to 25% capacity
- Longer jaws
- Four thread knurl



Ergonomic handle design makes work easier and more efficient.

Metric measuring scale on jaws for easy jaws presetting and sizing of nuts, bolts, pipes, etc.

CHROME VANADIUM steel. Great resistance, minimum wear, unbeatable durability.

Identification code. Full traceability.

Non-protruding jaw shank. Great accessibility in tight spaces.

IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570100004005106	8410295021048	92/CE - 4"	115	13	52
570500006005106	8410295021062	92W/CE - 6"	161	24	155
570500008005106	8410295021086	92W/CE - 8"	207	30	310
570500010005106	8410295021109	92W/CE - 10"	259	34	490
570500012005103	8410295021123	92W/CE - 12"	311	39	805
570100015008103	8410295021154	92/CE - 15"	386	43,12	1.320
570100018008103	8410295021185	92/CE - 18"	462	53	2.040

ErgoTop 92W – Ultimate Grip

Play Video



Raised relief design generates micro air chambers, making the handle easier to grip even with wet hands.

The ErgoTop 92W & 99W's operate over a wider range of sizes than the same size of adjustable wrench.



Textured synthetic rubber surface for convenience and firm gripping.

Replaceable ergonomic grip

High impact thermoplastic firmly secures handle. Guaranteed stability of handle in the original position, even with the most extreme twisting and pulling movements. Highly resistant to banging and accidental dropping.

Anti-slip horizontal ridges.

Play Video



Rounded shape fits comfortably in the palm of your hand.

IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570506006008105	8410295122066	ERGOTOP 92W/CBE - 6"	162	24	190
570506008008105	8410295122080	ERGOTOP 92W/CBE - 8"	209	30	340
570506010008105	8410295122103	ERGOTOP 92W/CBE - 10"	260	34	540
570506012008105	8410295122127	ERGOTOP 92W/CBE - 12"	312	39	885

Play Video



XTRA capacity allows to
e of nuts and bolts using
le wrench

Raised relief design generates micro air chambers, making the handle easier to grip even with wet hands.

Textured synthetic rubber surface for convenience and firm gripping.



Replaceable ergonomic grip

High impact thermoplastic firmly secures handle. Guaranteed stability of handle in the original position, even with the most extreme twisting and pulling movements. Highly resistant to banging and accidental dropping.

Anti-slip horizontal ridges.

Rounded shape fits comfortably in the palm of your hand.

Play Video



IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570533106008105	8410295172061	ERGOTOP 99W/CBE - 6"	162	24	190
570533108008105	8410295172085	ERGOTOP 99W/CBE - 8"	209	30	340
570533110008105	8410295172108	ERGOTOP 99W/CBE - 10"	260	34	540
570533112008105	8410295172122	ERGOTOP 99W/CBE - 12"	312	39	885

SWO 92 – Super Wide Opening

SIZE MATTERS

SWO 92 – 6"

34 mm (1 3/8 in) Super Wide Opening

78% wider than standard adjustable wrenches of similar (6") size!

Lighter weight - 205 grams

68% lighter than standard adjustable wrenches (12") with similar opening!



Play Video



SWO 92 – 8"

39 mm (1 1/2 in) Super Wide Opening

62% wider than standard adjustable wrenches of similar (8") size!

Lighter weight - 345 grams

50% lighter than standard adjustable wrenches (12") with smaller opening!

Play Video



IREGA CODE	EAN	REF.	Packaging	Length (mm.)	Opening (mm.)	Weight (gr.)
570308006008105	8410295322060	SWO 92/CBE - 6"	Blister	176	34	205
570308008008105	8410295322084	SWO 92/CBE - 8"	Blister	216	39	345
570308006005108	8410295320066	SWO 92/SB - 6"	Merchandiser	176	34	205
570308008005108	8410295320080	SWO 92/SB - 8"	Merchandiser	216	39	345
570308006005102	8410295320004	SWO 92/SBM - 6"	Assorted merchandiser	176	34	205
570308008005102	8410295320004	SWO 92/SBM - 8"	Assorted merchandiser	216	39	345

SIZE MATTERS

SWO 99 – 6"

34 mm (1 3/8 in) Super Wide Opening

78% wider than standard adjustable wrenches of similar (6") size!

Lighter weight - 205 grams

68% lighter than standard adjustable wrenches (12") with similar opening!



Play Video



SWO 99 – 8"

39 mm (1 1/2 in) Super Wide Opening

62% wider than standard adjustable wrenches of similar (8") size!

Lighter weight - 345 grams

50% lighter than standard adjustable wrenches (12") with smaller opening!

Play Video



IREGA CODE	EAN	REF.	Packaging	Length (mm.)	Opening (mm.)	Weight (gr.)
570433106008105	8410295372065	SWO 99/CBE - 6"	Blister	176	34	205
570433108008105	8410295372089	SWO 99/CBE - 8"	Blister	216	39	345
570433106005108	8410295379064	SWO 99/SB - 6"	Merchandise	176	34	205
570433108005108	8410295379088	SWO 99/SB - 8"	Merchandise	216	39	345
570433106005102	8410295379002	SWO 99/SBM - 6"	Assorted merchandise	176	34	205
570433108005102	8410295379002	SWO 99/SBM - 8"	Assorted merchandise	216	39	345

SWO 92XS – Xtra Slim jaws



Greater Accessibility thanks to the **Xtra Slim** jaw design (up to 50% thinner than standard wrenches with a similar opening)



Greatest Accessibility guaranteed due to same reduced thickness along full length of **Xtra Slim** jaws



4,5mm homogeneous thickness
along full length of jaws

SWO 92XS – 8"

Super Wide Opening 39 mm - 1 1/2"
Lighter weight - 335 gr.

SWO 92XS – 6"

Super Wide Opening 34 mm - 1 3/8"
Lighter weight - 200 gr.

IREGA CODE	EAN	REF.	Packaging	Length (mm.)	Opening (mm.)	Weight (gr.)
570909006005105	8410295305117	SWO 92XS/CBE - 6"	Blister	176	34	200
570909008005105	8410295305124	SWO 92XS/CBE - 8"	Blister	216	39	335
570909006005102	8410295306787	SWO 92XS/SBM - 6"	Assorted merchandiser	176	34	200
570909008005102	8410295306787	SWO 92XS/SBM - 8"	Assorted merchandiser	216	39	335



Greater Accessibility thanks to the **Xtra Slim** jaw design (up to 50% thinner than standard wrenches with a similar opening)



Greatest Accessibility guaranteed due to same reduced thickness along full length of **Xtra Slim** jaws



4,5mm homogeneous thickness
along full length of jaws

SWO 99XS – 8"

Super Wide Opening 39 mm - 1 1/2"
Lighter weight - 335 gr.

SWO 99XS – 6"


Super Wide Opening 34 mm - 1 3/8"
Lighter weight - 200 gr.

IREGA CODE	EAN	REF.	Packaging	Length (mm.)	Opening (mm.)	Weight (gr.)
571033106005105	8410295405114	SWO 99XS/CBE - 6"	Blister	176	34	200
571033108005105	8410295405121	SWO 99XS/CBE - 8"	Blister	216	39	335
571033106005102	8410295336784	SWO 99XS/SBM - 6"	Assorted merchandiser	176	34	200
571033108005102	8410295336784	SWO 99XS/SBM - 8"	Assorted merchandiser	216	39	335

Insulated handle wrenches – 1000V

Three layers, triple information : red (safety), orange (caution), yellow (stop using)

XTRA opening in sizes from 6” to 12” and Super Wide Opening in 6” and 8”




Every IREGA 1.000V adjustable wrench undergoes a HIGH VOLTAGE TEST, according to EN-60900 Standard, equivalent IEC-900, and consisting of a 10.000V charge for 10 seconds, after which there should be no damage to the handle.

Exceed IEC 900 y EN 60900


IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570512006005103	8410295041060	92W/CE- 6" - 1000V	161	24	185
570512008005103	8410295041084	92W/CE- 8" - 1000V	207	30	360
570512010005103	8410295041107	92W/CE-10" - 1000V	259	34	580
570512012005103	8410295041121	92W/CE-12" - 1000V	311	39	905
570112015005103	8410295441150	92/CE-15" - 1000V	386	43,12	1.600
570313006005103	8410295821068	SWO 92/CE-6" - 1000V	176	34	250
570313008005103	8410295821082	SWO 92/CE-8" - 1000V	216	39	370

Heavy Duty – 24” and 30”

For the most demanding jobs on industrial, petrol, mining, metallic construction fields and more.



24”



30”

Logistic and economic advantages:

Easier **handling and storage**, it replaces several fix wrenches
It replaces several fix wrenches of big dimensions and very costly

78mm (3”) opening



IREGA CODE	EAN	REF.	Length (mm.)	Opening (mm.)	Weight (gr.)
570030124009003	8410295061242	77-LT-F/CE - 24”	612	62	3.560
570000024009003	8410295001248	77/CE - 24”	612	62	3.560
81003 30	8410295081301	771 - 30”	750	78	5.520

IREGA S.A.

Fueros 1

48250 Zaldibar (SPAIN)

t : +34 946 225 651

f : +34 946 827 583

irega@irega.es · www.irega.es

<https://www.youtube.com/c/IREGAZaldibar>

